



Short Description



- Nickel plated alloy steel load cell mount
- Built-in Lift-off protection
- Self-aligning construction
- Load Button HY-8-101 not included*
- Can be used with Load Cell models: H8 and HM8*. Load cell needs to be ordered separately

Available Models

Model	Capacity	Full Article Description	Part Number
HM-8-407	0.5 – 2t	HM-8-407-0.5t/2t	20820110
	3t	HM-8-407-3t	20820150
	5t	HM-8-407-5t	20820210
	10 – 15t	HM-8-407-10/15t	20820310

Technical Specifications HM-8-407

Capacity with load cell	0.5t – 3t	5t	10t – 15t
Maximum vertical force (down)	15 kN	30 kN	60 kN
Maximum vertical force (up)	10 kN	20 kN	40 kN
Maximum horizontal force	5 kN	10 kN	20 kN
Maximum horizontal movement	+2 / -2 mm	+2 / -2 mm	+2 / -2 mm


Note: Expressed maximum forces refer to this mount, without load cell installed.

* = HM-8 Loadcell does include HY-8-101


Specifications and dimensions are subject to change without notice and do not constitute any liability whatsoever.

Dimensions in mm

0.5t – 5t Top View



0.5t – 5t Side View



Dimension / Capacity	L	L1	L2	L3	L4	W	W1	H	A
0.5t – 2t	220	75	25	170	100	120	80	93	14
3t	220	75	25	170	100	120	80	93	14
5t	260	95	25	210	130	150	100	111.7	18

